

**2021/22
SPECIAL**

Systems Design

bedrunka+hirth

Workplace up to date – mehr Raum zum Arbeiten

SHORT
DELIVERY
TIME

MADE
IN
GERMANY



Drawer Cabinet R 24-24

Ref. No. 700/1710V10A

705 x 736 x 1019 mm (W x D x H)

9 x drawers

Drawers with full pull-out 100% - load capacity 100 kg
more Information s. page 3




Valid till
31.03.2022





Standard colors

- Environment-friendly powder-coating, 2-tone-combinations without supplement
- Please, indicate the colour/colours in your order. When not indicated, we deliver the product in the standard color light grey (7035) and light blue (RAL 5012)



Drawer extension



All drawers fitted with full extension 100 %

- Depth 500 mm:
All drawers fitted with load capacity 50 kg
- Depth 736 mm:
Drawers with front height 50 mm -
load capacity 70 kg
- Drawers with front height 75 mm -
load capacity 100 kg
- Drawers with front height 300 mm -
load capacity 180 kg
- Ball bearing guides

Express 72 h



Express 72 h:

All products with this sign and in the colours RAL 7035/5012 can be despatched 3 days after order.

Certificate



TÜV-GS-certificate for all drawer cabinets in depth 736 mm

BEST OF SPECIAL

- Drawers with full pull-out 100%
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Ball bearing guides
- Anti-tilt device



Drawer cabinet R 24-24

- 9 x drawers

Ref.no.	Dimensions (W x D x H) mm
700/1710V10A	705 x 736 x 1019

SHORT
DELIVERY
TIME

- Drawers with full pull-out 100% - load capacity 100 kg
- Drawer interior dimension: 900 x 600 mm
- Ball bearing guides
- Anti-tilt device

NEW



Drawer cabinet R 36-24

- 6 x drawers

Ref.no.	Dimensions (W x D x H) mm
100/0213V10A	1005 x 736 x 1019



BESTSELLER



Mobile workbench T500 R 18-16

- Beech multiplex worktop 25 mm
- Drawers with full pull-out 100%, load capacity 50 kg
- Drawer interior dimension: 450 x 400 mm
- 4 x castor wheels Ø 125 mm, 2 x with locking device
- Push handle


Multi-Board

- Left: 2 x Beech multiplex shelves 25 mm, Right: 4 x drawers
- 2 x Uprights 650 mm, 1 x Perforated panels , 1 x magnetic panel

Ref.no.	Dimensions (W x D x H) mm	Version
04.512.04A	1200 x 540 x 880	Mobile workbench
03.900.12.02A	1000 x 600	Multi-Board

delivery without hooks and tools

kg
400



Workbench R 18-24

- Beech multiplex worktop 40 mm
- Left: 4 x drawers | Right: 4 x Drawers

Multi-Board

- 2 x Uprights 650 mm high, 2 x Perforated panels 1500 x 302 mm
- 1 x inclined shelf 1500 x 220 mm
- Range of hooks, 10 parts
- 17 x bins in different sizes

Ref.no.	Dimensions in mm	Version
03.14.18VA	1500 x 750 x 859	Workbench
03.14.18V9A	1500 x 750 x 959	Workbench
03.900.15.18A	1500 x 650	Multi-Board

kg
1000

Drawer cabinets depth 736 | 705 x 736 x 819 mm (W x D x H) | R 24-24

- Drawers with full pull-out 100%
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Ball bearing guides
- Anti-tilt device



■ 5 x drawers

Ref.no.
780/0221V10A



■ 6 x drawers

Ref.no.
780/1311V10A

705 x 736 x 919 mm (W x D x H)



■ 6 x drawers

Ref.no.
790/1131V10A



■ 8 x drawers

Ref.no.
790/0800V10A

Accessories for interior dimensions 600 x 600 mm



Ribbed rubber inserts
■ Front 50 mm and more

Ref.no.
140A




Trough plates
■ Front 50-75 mm

Ref.no.
130A



Small parts boxes
■ Front 75 - 100 mm

Ref.no.
132A



Small parts boxes
■ Front 75 - 100 mm

Ref.no.
134A



Metal dividers
■ Front 100 mm

Ref.no.
139BLH100A

more dividing kits s. page 5 and 21




Pallet truck plinth

- Steel sheet in front and rear screwed
- Including fixing material

SHORT
DELIVERY
TIME


Ref.no.	Dimensions (W x D x H) mm
01.070.012A	705 x 736 x 112



■ 7 x drawers

Ref.no.
780/0700V10A

705 x 736 x 1319 mm (W x D x H)



■ 10 x drawers

Ref.no.
713/2422V10A

Drawer cabinets depth 736 | 705 x 736 x 1019 mm (W x D x H) | R 24-24

- Drawers with full pull-out 100%
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Ball bearing guides
- Anti-tilt device

BESTSELLER




■ 6 x drawers

Ref.no.

700/1131V10A

SHORT
DELIVERY
TIME



■ 6 x drawers

Ref.no.

700/1122V10A

SHORT
DELIVERY
TIME



■ 7 x drawers

Ref.no.

700/1321V10A

SHORT
DELIVERY
TIME



■ 8 x drawers

Ref.no.

700/2321V10A

SHORT
DELIVERY
TIME



■ 9 x drawers

Ref.no.

700/0900V10A

SHORT
DELIVERY
TIME



■ 9 x drawers

Ref.no.

700/2223V10A

SHORT
DELIVERY
TIME

Accessories for interior dimensions 600 x 600 mm



Metal dividers

■ Front 100-125 mm

Ref.no.

138BLH100A



Metal dividers

■ Front 100-125 mm

Ref.no.

146BLH100A



Metal dividers

■ Front 150 mm

Ref.no.

139BLH150A



Metal dividers

■ Front 150

Ref.no.

144BLH150A



Metal dividers

■ Front 200 mm

Ref.no.

146BLH200A

more dividing kits s. page 4 and 21

Drawer cabinets depth 736 | 1005 x 736 x 1019 mm (W x D x H) | R 36-24

- Drawers with full pull-out 100%
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 900 x 600 mm
- Ball bearing guides
- Anti-tilt device

BESTSELLER



- 8 x drawers

Ref.no.
100/2321V10A

1005 x 736 x 1019 mm (W x D x H)



- 7 x drawers

Ref.no.
100/1231V10A



- Trough plates**
- Front 50 mm

Ref.no.
150A



- Metal dividers**
- Front 100 mm

Ref.no.
153BLH100A



- Metal dividers**
- Front 100 mm

Ref.no.
154BLH100A



- Metal dividers**
- Front 150 mm

Ref.no.
153BLH150A



- Metal dividers**
- Front 200 mm

Ref.no.
166BLH200A

Pallet truck plinth

- Steel sheet in front and rear screwed
- Including fixing material




Ref.no.	Dimensions (W x D x H) mm
01.100.012A	1005 x 736 x 112



- 6 x drawers

Ref.no.
100/0222V10A

1005 x 736 x 1519 mm (W x D x H)



- 12 x drawers

Ref.no.
115/0921V10A

Accessories for interior dimensions 900 x 600 mm



Please, always indicate the colour/colours. Without indication we supply housing RAL 7035 light grey and fronts RAL 5012 light blue.

Pictures with housing in RAL 7035 and fronts RAL 3020.


Drawer cabinets depth 500 | 680 x 500 x 1019 mm (W x D x H) | R 24-16

- Drawers with full pull-out 100%, load capacity 50 kg
- Drawer interior dimension: 600 x 400 mm




- 6 x drawers

Ref.no.
60.303A



- 7 x drawers


Ref.no.
60.340A



- 8 x drawers

Ref.no.
60.701A

BESTSELLER



- 9 x drawers

Ref.no.
60.900A

Accessories for interior dimensions 600 x 400 mm



- Ribbed rubber inserts**
- Ab Front 75 mm

Ref.no.
65.068.530A



- Small parts boxes**
- Front 100 mm

Ref.no.
168-132A



- Metal dividers**
- Front 100 mm

Ref.no.
168-139A



- Metal dividers**
- Front 150 mm

Ref.no.
168-135A




- Metal dividers**
- Front 200 mm

Ref.no.
168-144A


Drawer cabinets depth 500 | 980 x 500 x 1019 mm (W x D x H) | R 36-16

- Drawers with full pull-out 100%, load capacity 50 kg
- Drawer interior dimension: 900 x 400 mm




- 6 x drawers

Ref.no.
90.303A




- 7 x drawers

Ref.no.
90.340A



- 8 x drawers

Ref.no.
90.701A



- 9 x drawers

Ref.no.
90.900A

Accessories for interior dimensions 900 x 400 mm



- Ribbed rubber inserts**
- Front 75 mm and more

Ref.no.
65.098.530A



- Small parts boxes**
- Front 100 mm

Ref.no.
198-132A



- Metal dividers**
- Front 100 mm

Ref.no.
198-139A



- Metal dividers**
- Front 150 mm

Ref.no.
198-136A



- Metal dividers**
- Front 200 mm

Ref.no.
198-144A

CNC-tool storing systems

CNC-system



Inserts

- This system is the most flexible available.
- The black plastic inserts are clipped into the heavy gauge steel tool carrier through a series of rebated slots.
- No fasteners are required to locate the inserts which can also be quickly removed by depressing the integral locking lug.

	CNC E1	CNC E2	CNC E3
49 x 103 x 17 mm		74 x 103 x 17 mm	99 x 103 x 17 mm
SK 30		SK 40	SK 50
VDI 25		VDI 40	VDI 50
VDI 30		HSK A 50 / B 63	VDI 60
MK3		HSK A 63 / B 80	HSK A 32 / B 40
MK4		MK 5	HSK A 40 / B 50
Capto C 4		Capto C 5	HSK A 80 / B 100
			HSK A 100 / B 125
			Universal
			Capto C 3
			Capto C 6
			Capto C 8

- 2 x or 4 x cassette, shelf, rubber mat and grips



CNC- Table rack attachment TAG 2

- with 2 floors incl. inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.2210A	425 x 375 x 300	10/14*	10/10*	6/6*
02.2214A	575 x 375 x 300	14/20*	14/14*	8/10*

SHORT
DELIVERY
TIME

BESTSELLER



CNC- Table rack attachment TAG 4

- with 4 floors incl. inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.2420A	425 x 375 x 525	20/28*	20/20*	12/12*
02.2428A	575 x 375 x 525	28/40*	28/28*	16/20*

SHORT
DELIVERY
TIME



04.2118.00/3A

CNC-Display cabinet T500 R 36-16

- 3 x CNC frames can be used inclined or flat
- 1 x shelf
- Incl. CNC-inserts
- Glazed doors with acrylic glass

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
04.2118.00/3A	980 x 500 x 1838	66/144*	66/99*	45/72*

CNC-Display cabinet T500 R 36-16

- 4 x CNC frames can be used inclined or flat
- Incl. CNC-inserts
- Glazed doors with acrylic glass

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
04.2118.00A	980 x 500 x 1838	80/192*	80/132*	52/96*

* 1st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.



02.2118.04/3A

CNC-double swing doors T500 R 36-16

- 3 x CNC frames can be used inclined or flat
- 1 x shelf
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.2118.04/3A	980 x 500 x 1838	66/144*	66/99*	45/72*

CNC-double swing doors T500 R 36-16

- 4 x CNC frames can be used inclined or flat
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.2118.04A	980 x 500 x 1838	80/192*	80/132*	52/96*



* 1st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.



02.289.00A

CNC-roller shutter cabinet T500 R 36-16

- Aluminium-Roller
- 4 x CNC frames can be used inclined or flat
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.289.00A	1000 x 500 x 1950	80/192*	80/132*	52/96*

CNC-roller shutter cabinet T500 R 36-16

- Aluminium-Roller
- 3 x CNC frames can be used inclined or flat
- 1 x shelf
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.289.01/3A	1000 x 500 x 1950	66/144*	66/99*	45/72*

CNC-roller shutter cabinet T500 R 36-16

- Plastic Roller
- 4 x CNC frames can be used inclined or flat
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.295.00A	1000 x 500 x 1950	80/192*	80/132*	52/96*

CNC-roller shutter cabinet T500 R 36-16

- Plastic Roller
- 3 x CNC frames can be used inclined or flat
- 1 x shelf
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.295.01/3A	1000 x 500 x 1950	66/144*	66/99*	45/72*

CNC-tool storing systems

CNC-Transport systems

- Drawers with full pull-out 100%
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawers with front height 400 mm - load capacity 180 kg



CNC-Drawer cabinet T736 R 18-24 mobile

- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- 1 x CNC-drawer frame 450 (SR)
- Incl. CNC-inserts
- Drawer interior dimension: 450 x 600 mm



Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.2580.4RVB	555 x 736 x 971	25/35*	25/25*	15/15*

Optimal storage and transport



CNC-Trolley for tool carriers

- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- Incl. 6 x CNC-Tol carrier 600
- 1 x shelf at the bottom
- Incl. CNC-inserts



Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.288.06A	630 x 900 x 860	42/60*	42/42*	25/30*

BESTSELLER



CNC-mobile cabinet

- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- 6 x CNC-Tool carrier 600 or 900
- Incl. CNC-inserts



Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.285.07A	560 x 630 x 950	30/60*	30/42*	20/30*
02.285.01A	560 x 930 x 950	48/96*	48/66*	34/48*

CNC-Trolley

- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- 4 x CNC-wide tool holders 900
- 4 x CNC-narrow tool holders 900
- 1 x top shelf
- Incl. CNC-inserts



Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.58.44A	990 x 610 x 1450	84/192*	84/132*	64/96*

* 1st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.

Wall hanging cabinets and workbenches

workbenches and workstations

BESTSELLER

03.080.001A



03.040.091A



03.080.101A



03.040.191A

Wall hanging cabinet with door/doors

- with steel sheet in the rear
- 1 shelf

Ref.no.	Dimensions (W x D x H) mm	Version
03.040.091A	400 x 300 x 600	View window door
03.080.091A	800 x 300 x 600	View window doors
03.040.001A	400 x 300 x 600	Metal door
03.080.001A	800 x 300 x 600	Metal doors

Wall hanging cabinet with door/doors

- with perforated panel in the rear
- 1 shelf

Ref.no.	Dimensions (W x D x H) mm	Version
03.040.191A	400 x 300 x 600	View window door
03.080.191A	800 x 300 x 600	View window doors
03.040.101A	400 x 300 x 600	Metal door
03.080.101A	800 x 300 x 600	Metal doors

Workbenches

- Drawers with full pull-out 100%, load capacity 100 kg
- Beech multiplex worktop 40 mm

**NEW****Workbench T736 R 18-24**

- 3 x drawers
- Drawer interior dimension: 450 x 600 mm

Ref.no.	Dimensions (W x D x H) mm
03.055.10VA	810 x 750 x 859
03.055.10V9A	810 x 750 x 959

**Workbench T736 R 24-24**

- 1 x drawer, 1 x hinged door
- Drawer interior dimension: 600 x 600 mm

Ref.no.	Dimensions (W x D x H) mm
03.075.02VA	810 x 750 x 859
03.075.02V9A	810 x 750 x 959

**Workbench T736 R 24-24**

- 4 x drawers
- Drawer interior dimension: 600 x 600 mm

Ref.no.	Dimensions (W x D x H) mm
03.075.04VA	810 x 750 x 859
03.075.04V9A	810 x 750 x 959

**SHORT
DELIVERY
TIME****Accessories for interior dimensions 600 x 600 mm****Ribbed rubber inserts**


- Front 50 mm and more

Ref.no.
140A

**Metal dividers**

- Front 150 mm

Ref.no.
135A

**Small parts boxes**

- Front 100-150 mm

Ref.no.
134A

**Height adjustment**

- Height-adjustable on a grid of 25 mm
- Complete for a workbench with 4 feet
- Only suitable for workbench height 859 mm

Ref.no.
03.15.95A

Workbenches and workstations

6-fold-workbench





Put together your own individual inline workbench with these drawer cabinets (for more information see p. 14)

Drawer cabinets depth 736 | 555 x 736 x 819 mm (W x D x H) | R 18-24

- Drawers with full pull-out 100%
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Ball bearing guides
- Anti-tilt device



- 4 x drawers

Ref.no.

580/1111VB



- 7 x drawers

Ref.no.

580/0700V10A



- 4 x drawers

Ref.no.

580/0022VB



- 6 x drawers

Ref.no.

580/1311V10A

SHORT
DELIVERY
TIME



- 5 x drawers

Ref.no.

580/0221V10A

SHORT
DELIVERY
TIME

BESTSELLER




- 6 x drawers

Ref.no.

580/2121V10A

Accessories for interior dimensions 450 x 600 mm

More dividing s. page 18 and 19



Trough plates

- Front 50-75 mm

Ref.no.

111A




Ribbed rubber inserts

- Front 50 mm and more

Ref.no.

120A




Small parts boxes

- Front 100 mm

Ref.no.

119A



Metal dividers

- Front 150 mm

Ref.no.

113A



Metal dividers

- Front 200 mm

Ref.no.

118A

Workbenches and workstations


Modular workbench



You can find further drawer cabinets for your workbench on page 13

★
SHORT
DELIVERY
TIME

- Drawers with full pull-out 100%
- Drawers with front height 50 mm - load capacity 70 kg
Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 450/600 x 600 mm
- Drawer block not lockable, Supplement for cylinder lock see table down
- Drawer cabinet with cylinder lock and 2 x keys
- Modular workbenches: Delivered unassembled



Modular workbench – individual components

Pos.	Ref.no.	Dimensions (W x D x H) mm	Version
1*	03.15.40B	1500 x 750 x 40	Beech multiplex worktop
2*	03.20.40B	2000 x 750 x 40	Beech multiplex worktop
3*	03.90.01B	150 x 650 x 819	Foot 50 x 50 x 2 mm
4	520/1VB	541 x 736 x 208	Drawer block T736 R 18-24, 1 x drawer 150 mm, on request also lockable
	520/1BM	–	Additional price with lock (adapted fpr Ref.no. 520/1B)
5	535/111VB	541 x 736 x 358	Drawer block T736 R 18-24, 1 x drawer 50 mm, 1 x drawer 100 mm, 1 x drawer 150 mm
	535/111BM	–	Additional price with lock (adapted for Ref.no. 535/111B)
6	780/0022VB	705 x 736 x 819	Drawer cabinet T736 R 24-24, 2 x drawers 150 mm, 2 x drawers 200 mm
7	780/1111VB	705 x 736 x 819	Drawer cabinet T736 R 24-24, 1 x drawer 50 mm, 1 x drawer 150 mm, 1 x drawer 200 mm, 1 x drawer 300 mm

Modular workbench depth 750 | 1500 / 2000 x 750 x 859 mm (W x D x H) | R 18-24



- Beech multiplex worktop 40 mm
- 2 x double Feet
- 1 x drawer not lockable
- Supplement for cylinder lock - see table above



Ref.no.	Dimensions (W x D x H) mm
03.15.520.1VA	1500 x 750 x 859
03.20.520.1VA	2000 x 750 x 859

- Beech multiplex worktop 40 mm
- 2 x double Feet
- 3 x drawers not lockable
- Supplement for cylinder lock - see table above



Ref.no.	Dimensions (W x D x H) mm
03.15.535.2VA	1500 x 750 x 859
03.20.535.2VA	2000 x 750 x 859

Modular workbench depth 750 | 2000 x 750 x 859 mm (W x D x H) | R 18-24/24-24

- Beech multiplex worktop 40 mm
- Drawers with full pull-out 100%, load capacity 100 kg
- Delivered unassembled

Modular Workbench R 18-24

- 1 x double Feet
- Drawer cabinet 555 mm wide, 4 x drawers
- Drawer interior dimension: 450 x 600 mm

SHORT
DELIVERY
TIME

Ref.no.	Dimensions (W x D x H) mm
03.15.580.4VA	1500 x 750 x 859
03.20.580.4VA	2000 x 750 x 859

Energy ramp with 2 supports for the worktop

- Complete with 1 kit with 3 sockets and on/off switch and cable 2m long

Ref.no.	Dimensions (W x D x H) mm
07.861.15.74A	1500 x 60 x 130
07.861.20.74A	2000 x 60 x 130



R 24-24

- 1 x double Feet
- Drawer cabinet 705 mm wide, 4 x drawers
- Drawer interior dimension: 600 x 600 mm


Ref.no.	Dimensions (W x D x H) mm
03.20.780.4VA	2000 x 750 x 859

R 18-24

- 2 x Drawer cabinet 555 mm wide, je 4 x drawers
- Drawer interior dimension: 450 x 600 mm

Ref.no.	Dimensions (W x D x H) mm
03.20.580.20VA	2000 x 750 x 859

SHORT
DELIVERY
TIME



Heavy load table

- Beech multiplex worktop 40 mm
- Welded and bolted, from U-sections 75 x 50 x 2 mm
- Adjustable height in a raster of 25 mm
- Delivered unassembled (with mounting instruction)

Ref.no.	Dimensions (W x D x H) mm
03.10.000.6A	1000 x 750 x 734 - 1084
03.15.000.6A	1500 x 750 x 734 - 1084
03.20.000.6A	2000 x 750 x 734 - 1084



Workbenches and workstations

Wall hanging cabinets and workbenches

- Delivered unassembled



Foot with stepless height adjustment

- Stepless Adjustment of 200 mm

Ref.no.	Dimensions (W x D x H) mm
03.90.01HVA	150 x 650 x 819 - 1019

SHORT
DELIVERY
TIME



Modular Workbench

- Worktop beech multiplex 40 mm
- 2 x double Feet
- 1 x storage shelf on the bottom in half Depth

kg
200

SHORT
DELIVERY
TIME

Ref.no.	Dimensions (W x D x H) mm
03.15.000.2A	1500 x 750 x 859
03.20.000.2A	2000 x 750 x 859



Modular Workbench

- Worktop beech multiplex 40 mm
- 2 x double Feet
- Stepless Adjustable of 200 mm

kg
200

SHORT
DELIVERY
TIME

Ref.no.	Dimensions (W x D x H) mm
03.15.000.4A	1500 x 750 x 859 - 1059
03.20.000.4A	2000 x 750 x 859 - 1059



Modular Workbench

- Worktop beech multiplex 40 mm
- 2 x double Feet
- 1 x storage shelf on the bottom in half Depth
- Stepless Adjustable of 200 mm

kg
200

SHORT
DELIVERY
TIME

Ref.no.	Dimensions (W x D x H) mm
03.15.000.3A	1500 x 750 x 859 - 1059
03.20.000.3A	2000 x 750 x 859 - 1059

Workbenches and Worktables

- Delivery completely assembled



Workbench

- Beech multiplex worktop 40 mm
- Frame 40 x 40 x 2 mm
- Shelf in half depth

kg
200

Ref.no.	Dimensions (W x D x H) mm
03.14.30A	1500 x 750 x 859
03.19.30A	2000 x 750 x 859



Workbench with drawer block

- Beech multiplex worktop 40 mm
- Frame 40 x 40 x 2 mm, with insered nuts
- Shelf in half depth
- Drawer block: 1 x drawer 150 mm not lockable

kg
200

Ref.no.	Dimensions (W x D x H) mm
03.14.31VA	1500 x 750 x 859
03.19.31VA	2000 x 750 x 859

Workbenches R 18-24 and R 24-24

workbenches and workstations

- Drawers with full pull-out 100%, load capacity 100 kg
- Beech multiplex worktop 40 mm

**R 18-24**

- Left: 3 x drawers | right: 5 x drawers
- Drawer interior dimension: 450 x 600 mm
- Frame width 1200 mm

Ref.no.	Dimensions (W x D x H) mm
03.14.07VA	1500 x 750 x 859
03.14.07V9A	1500 x 750 x 959

**R 18-24**

- Left: 1 x hinged door, 1 x shelf | right: 4 x drawers
- Drawer interior dimension: 450 x 600 mm
- Frame width 1200 mm

Ref.no.	Dimensions (W x D x H) mm
03.14.19VA	1500 x 750 x 859
03.14.19V9A	1500 x 750 x 959

**R 18-24**

- Left: 4 x drawers | right: 3 x drawers
- Drawer interior dimension: 450 x 600 mm

Multi-Board

- 2 x Uprights 650 mm high, 2 x Perforated panels 2000 x 302 mm
- 1 x inclined shelf 2000 x 220 mm
- 11 x bins in different sizes
- Range of hooks, 10 parts
- 1 x Rails for bins 450 mm

Ref.no.	Dimensions (W x D x H) mm	Version
03.19.29VA	2000 x 750 x 859	Workbench
03.19.29V9A	2000 x 750 x 959	Workbench
03.900.20.25A	2000 x 650	Multi-Board

Lift/lower chassis retrofittable

- Total weight without workbench: 26 kg
- Dynamic load capacity: 450 kg
- Static load capacity: 1000 kg
- 2x steering caster, 2x fixed caster, Ø 80 mm, polyamide
- **Not possible for workbenches with half shelf**
- Only suitable for workbench height 859 mm

Ref.no.	For frame width in mm
03.HUB12075A	1200
03.HUB15075A	1500
03.HUB17575A	1700
03.HUB20075A	2000

**R 24-24**

- Left: 1 x hinged door 600 mm, 1 x shelf
- Right: 4 x drawers
- Drawer interior dimension: 600 x 600 mm
- Delivery without perforated panel


Ref.no.	Dimensions (W x D x H) mm	Version
03.15.19VA	1500 x 750 x 859	Workbench
03.15.19V9A	1500 x 750 x 959	Workbench
03.87.103A	1500 x 450	perforated panel ç(without hooks)



Workbenches and workstations

Workbench R 18-24

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Beech multiplex worktop 40 mm
- Delivery completely assembled



Perforated panel
s. page 18 below

- Left: Shelf in half depth
- Right: 1 x drawer, 1 x hinged door
- Delivery without perforated panel



Ref.no.	Dimensions (W x D x H) mm
03.14.12VA	1500 x 750 x 859
03.19.12VA	2000 x 750 x 859

Ref.no.	Dimensions (W x D x H) mm
03.14.12V9A	1500 x 750 x 959
03.19.12V9A	2000 x 750 x 959

SHORT
DELIVERY
TIME

- Left: Shelf in half depth
- Right: 3 x drawers



Ref.no.	Dimensions (W x D x H) mm
03.14.14VA	1500 x 750 x 859
03.19.14VA	2000 x 750 x 859

Ref.no.	Dimensions (W x D x H) mm
03.14.14V9A	1500 x 750 x 959
03.19.14V9A	2000 x 750 x 959

BESTSELLER

SHORT
DELIVERY
TIME

- Left: Shelf in half depth
- Right: 4 x drawers




Ref.no.	Dimensions (W x D x H) mm
03.14.16VA	1500 x 750 x 859
03.19.16VA	2000 x 750 x 859


Ref.no.	Dimensions (W x D x H) mm
03.14.16V9A	1500 x 750 x 959
03.19.16V9A	2000 x 750 x 959

Perforated panel

- With 2 x fixing supports for workbench width 1500 mm
- With 3 x fixing supports for workbench width 2000 mm



Ref.no.	Dimensions (W x H) mm
03.87.103A	1500 x 450
03.87.104A	2000 x 450



Range of hooks, 28 parts

Ref.no.
03.87.39528A



Height adjustment

- Height-adjustable on a grid of 25 mm
- Complete for a workbench with 4 feet
- Only suitable for workbench height 859 mm


Ref.no.
03.15.95A



Ribbed rubber inserts

- Front 50 mm and more


Ref.no.
120A



Non-slip mat

- W x D: 450 x 600 mm

Ref.no.
65.051.731A



Metal dividers

- Front 150 mm

Ref.no.
116A

Workbenches R 18-24

workbenches ans workstations

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Beech multiplex worktop 40 mm
- Delivery completely assembled



- Left: 1 x drawer, 1 x hinged door
- Middle: 1 x shelf in half depth, back panel
- Right: 1 x drawer, 1 x hinged door

Ref.no.	Dimensions (W x D x H) mm	Version
03.19.22VA	2000 x 750 x 859	Workbench
03.19.22V9A	2000 x 750 x 959	Workbench



SHORT
DELIVERY
TIME

- Left: 1 x drawer, 1 x hinged door
- Middle: 1 x shelf in half depth, back panel
- Right: 3 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.19.24VA	2000 x 750 x 859
03.19.24V9A	2000 x 750 x 959




- Left: 1 x drawer, 1 x hinged door
- Middle: 1 x shelf in half depth, back panel
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.19.26VA	2000 x 750 x 859
03.19.26V9A	2000 x 750 x 959



Accessories for interior dimensions 450 x 600 mm




Metal dividers
■ Front 150 mm

Ref.no.
115A



Metal dividers
■ Front 150 mm

Ref.no.
113A



Metal dividers
■ Front 150 mm

Ref.no.
117A



Metal dividers
■ Front 200 mm

Ref.no.
118A

delivery without hooks and tools

Workbenches and workstations

Workbench R 24-24

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Beech multiplex worktop 40 mm
- Delivery completely assembled



- Left: 5 x drawers
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.15.55VA	1500 x 750 x 859
03.15.55V9A	1500 x 750 x 959



- Left: 5 x drawers
- Right: 4 x drawers

SHORT
DELIVERY
TIME

Ref.no.	Dimensions (W x D x H) mm
03.15.54VA	1500 x 750 x 859
03.15.54V9A	1500 x 750 x 959



- Left: 1 x hinged door, 1 x shelf
- Right: 3 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.15.17VA	1500 x 750 x 859
03.15.17V9A	1500 x 750 x 959



- Left: 2 x shelves 300 mm
- Right: 3 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.15.03VA	1500 x 750 x 859
03.15.03V9A	1500 x 750 x 959



- Left: 1 x drawer, 1 x hinged door
- Right: 1 x drawer, 1 x hinged door

Ref.no.	Dimensions (W x D x H) mm
03.15.01VA	1500 x 750 x 859
03.15.01V9A	1500 x 750 x 959

BESTSELLER



- Left: 3 x drawers
- Right: 4 x drawers

SHORT
DELIVERY
TIME

Ref.no.	Dimensions (W x D x H) mm
03.15.34VA	1500 x 750 x 859
03.15.34V9A	1500 x 750 x 959

Dividing s. page 4, 5 and 21

Workbenches R 24-24

workbenches and workstations

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Beech multiplex worktop 40 mm
- Delivery completely assembled

NEW



- Left: 5 x drawers
- Middle: 2 x shelves 300 mm
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.20.11VA	2000 x 750 x 859
03.20.11V9A	2000 x 750 x 959



SHORT
DELIVERY
TIME

- Left: 1 x hinged door, 1 x shelf
- Middle: 2 x shelves 300 mm
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.20.16VA	2000 x 750 x 859
03.20.16V9A	2000 x 750 x 959



- Left: 3 x drawers
- Middle: 2 x shelves 300 mm
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.20.17VA	2000 x 750 x 859
03.20.17V9A	2000 x 750 x 959




Accessories for interior dimensions 600 x 600 mm



Ribbed rubber inserts
■ Front 50 mm and more

Ref.no.
140A



Metal dividers
■ Front 150 mm

Ref.no.
135A



Small parts boxes
■ Front 100 - 150 mm

Ref.no.
134A



Metal dividers
■ Front 200 mm

Ref.no.
137A



Height adjustment

- Height-adjustable on a grid of 25 mm
- Complete for a workbench with 4 feet
- Only suitable for workbench height 859 mm

Ref.no.
03.15.95A

Dividing s. page 4 and 5

Workbenches and workstations

Multi-Board – Combinations

- Drawers with full pull-out 100%
- Drawers with front height 50 mm - load capacity 70 kg
Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Beech multiplex worktop 40 mm



Workbench T750 R 18-24

- Left: 1 x hinged door, 1 x shelf
- Middle: 3 x drawers
- Right: 1 x hinged door, 1 x shelf
- Frame width 1700 mm

Ref.no.	Dimensions (W x D x H) mm
03.19.35VA	2000 x 750 x 859
03.19.35V9A	2000 x 750 x 959

Dividing s. page 13, 18 and 19



03.900.20.1A



Workbench T750 R 18-24

- Left: 5 x drawers
- Middle: 3 x drawers
- Right: 1 x hinged door, 1 shelf
- Frame width 1700 mm

Ref.no.	Dimensions (W x D x H) mm
03.19.36VA	2000 x 750 x 859
03.19.36V9A	2000 x 750 x 959



03.900.20.2A

Multi-Board 2000 mm consists of:

- 3 x Uprights 1250 mm high
- 2 x Perforated panels each 1000 x 302 mm
- 2 x Magnetic panels each 1000 x 302 mm
- 1 x Passage for electronic cables with 3 sockets and on/off-switch
- 3 x shelves 1000 x 320 mm
- 2 x Rails for bins 450 mm
- Range of hooks, 10 parts
- 19 x bins in different sizes

Optional

- Overhead frame and rail
- 1 x LED workplace lamp Microprism, 37,8 W, 1154 mm wide



03.900.20.10B

NEW


Ref.no.	Dimensions (W x D x H) mm	Version
03.900.20.1A	2000 x 1250	with light
03.900.20.10B	2000 x 1250	without light and overhead frame

Multi-Wand 2000 mm bestehend aus:

- 3 x Uprights 1250 mm high
- 2 x Perforated panels each 1000 x 302 mm
- 2 x Magnetic panels each 1000 x 302 mm

Optional

- Overhead frame and rail
- 2 x LED workplace lamp Microprism, 28,9 W, 868 mm wide



03.900.20.20B

NEW

Ref.no.	Dimensions (W x D x H) mm	Version
03.900.20.2A	2000 x 1250	with light
03.900.20.20B	2000 x 1250	without light and overhead frame

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Beech multiplex worktop 40 mm

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Beech multiplex worktop 40 mm




Workbench T750 R 18-24

- Left: 1 x shelf in half depth
- Right: 5 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.14.15VA	1500 x 750 x 859
03.14.15V9A	1500 x 750 x 959

Dividing s. page 13, 18 and 19




03.900.15.320A

Workbench T750 R 24-24

- Left: 3 x drawers
- Right: 3 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.15.33VA	1500 x 750 x 859
03.15.33V9A	1500 x 750 x 959

Dividing s. page 4, 5 and 21



03.900.14.16A

Multi-Board 1500 mm Consists of:

- 2 x Uprights 1250 mm high
- 1 x Perforated panels 1500 x 302 mm
- 1 x shelf 1500 x 320 mm
- Range of hooks, 10 parts
- 2 x Rails for bins 300 mm
- 12 x bins in different sizes

Optional

- Overhead frame and rail
- 1 x LED workplace lamp Microprism, 28,9 W, 868 mm wide



Ref.no.	Dimensions (W x D x H) mm	Version
03.900.15.320A	1500 x 1250	with light
03.900.15.320B	1500 x 1250	without light and overhead frame

Multi-Board 1500 mm Consists of:

- 2 x Uprights 1250 mm high
- 1 x Perforated panels 1500 x 302 mm
- 1 x Magnetic panels 1500 x 302 mm
- 2 x shelves 1500 x 320 mm
- 1 x Passage for electronic cables with 3 sockets and on/off-switch
- Range of hooks, 10 parts
- 1 x Rails for bins 450 mm
- 20 x bins in different sizes

Optional

- Overhead frame and rail
- 1 x LED workplace lamp Microprism, 28,9 W, 868 mm wide



Ref.no.	Dimensions (W x D x H) mm	Version
03.900.14.16A	1500 x 1250	with light
03.900.14.160B	1500 x 1250	without light and overhead frame

Mobile logistic systems

WAF – Work assembly frame



Delivered unassembled!



Work assembly frame

- 4 x plastic steering caster Ø 50 mm
- Ripped rubber mat
- Tray 610 x 410 mm (W x D)

Ref.no.	Dimensions (W x D x H) mm
05.10.20B	660 x 660 x 872 - 1222

BESTSELLER



Work assembly frame

- 4 x steering caster, with locks, Ø 100 mm
- Ripped rubber mat
- Tray 610 x 410 mm (W x D)

Ref.no.	Dimensions (W x D x H) mm
05.10.21B	660 x 660 x 945 - 1295



Work assembly frame Up to 30° inclinable

- 4 x plastic steering caster Ø 50 mm
- Ripped rubber mat
- Tray 610 x 410 mm (W x D)

Ref.no.	Dimensions (W x D x H) mm
05.10.30B	660 x 660 x 921 - 1271

Work assembly frame, Up to 30° inclinable

- 4 x steering caster, with locks, Ø 100 mm
- Ripped rubber mat
- Tray 610 x 410 mm (W x D)

Ref.no.	Dimensions (W x D x H) mm
05.10.31B	660 x 660 x 994 - 1344

Standing aid and Working chairs



Standing aid with ergonomic comfort seating, PU black

- Seat height 600 - 800 mm
- Low maintenance integral foam
- Tilted seating with 15 degrees adjustable
- 16 degrees horizontal all-round swivel

Ref.no.
05.96.28A

NEW

SHORT
DELIVERY
TIME



Work stools mit casters

- Beech seat, Ø 350 mm
- Seat height 435 - 625 mm
- Concealed safety gas spring
- High-quality plastic cruciform base, Ø 630 mm

Ref.no.
05.96.05A

SHORT
DELIVERY
TIME



Working chair, PU black

- Seat height 520 - 720 mm
- Large polyurethane and cushion seats and backrests
- Seat tilt 12 degrees
- Ergonomic design, asynchronous mechanic for continous adjustment of seat and backrest tilt
- Synthetic star base

Ref.no.
05.96.46A

Mobile Drawer cabinets depth 500 R 18-16

Mobile logistic systems



Please, always indicate the colour/colours. Without indication we supply housing RAL 7035 light grey and fronts RAL 5012 light blue.

Pictures with housing in RAL 7035 and fronts RAL 3020.

- Drawers with full pull-out 100%, load capacity 50 kg
- Push handle
- Central locking system


BESTSELLER



- 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
46.301BR80	530 x 500 x 750

- Incl. roll-off edge on 3 sides
- 4 x castor wheels Ø 80 mm, 2 x with locking device
- Drawer interior dimension: 450 x 400 mm



- 5 x drawers

Ref.no.	Dimensions (W x D x H) mm
46.500BR80	530 x 500 x 750



Ribbed rubber inserts
■ Front 75 mm and more

Ref.no.
65.046.531A



Metal dividers
■ Front 100 mm

Ref.no.
146-139B



Small parts boxes
■ Front 100 mm

Ref.no.
146-132A



Metal dividers
■ Front 200 mm

Ref.no.
146-144A



Non-slip mat
■ W x D: 530 x 500 mm

Ref.no.
65.040.530A

Mobile Drawer cabinets depth 500 R 24-16

- Drawers with full pull-out 100%, load capacity 50 kg
- Push handle
- Central locking system

- Incl. roll-off edge on 3 sides
- 4 x castor wheels Ø 125 mm, 2 x with locking device
- Drawer interior dimension: 600 x 400 mm



- 6 x drawers

Ref.no.	Dimensions (W x D x H) mm
68.2310AM	680 x 500 x 890



- 5 x drawers

Ref.no.	Dimensions (W x D x H) mm
68.221AM	680 x 500 x 990



- 7 x drawers

Ref.no.	Dimensions (W x D x H) mm
68.700AM	680 x 500 x 990



Ribbed rubber inserts
■ Front 75 mm and more

Ref.no.
65.068.530A



Small parts boxes
■ Front 100 mm

Ref.no.
168-132A



Metal dividers
■ Front 100 mm

Ref.no.
168-139A



Metal dividers
■ Front 150 mm

Ref.no.
168-135A



Metal dividers
■ Front 200 mm

Ref.no.
168-144A




Non-slip mat
■ W x D: 680 x 500 mm

Ref.no.
65.060.530A

Mobile logistic systems

Mobile workbenches depth 500 R 18-16



Please, always indicate the colour/colours. Without indication we supply housing RAL 7035 light grey and fronts RAL 5012 light blue.

Pictures with housing in RAL 7035 and fronts RAL 3020.

Workshop trolleys T500 R 18-16

- Drawers with full pull-out 100%, load capacity 50 kg
- With individual interlocking and 2 housing variants
- Drawer interior dimension: 450 x 400 mm



- Left: 4 x drawers
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
04.11.08A	1060 x 500 x 995

- Push handle
- Central locking system
- 4 x Castor wheels Ø 80 mm, 2 x with locking device
- Incl. roll-off edge on 4 sides and ripped rubber mat



- Left: 5 x drawers
- Right: 1 x hinged door and shelf

Ref.no.	Dimensions (W x D x H) mm
04.11.05A	1060 x 500 x 995

Mobile workbench T500 R 18-16

- Beech multiplex worktop 25 mm
- Drawers with full pull-out 100%, load capacity 50 kg
- Drawer interior dimension: 450 x 400 mm
- 4 x castor wheels Ø 125 mm, 2 x with locking device
- Push handle



- Left: 2 x shelves
- Right: 3 x drawers

Ref.no.	Dimensions (W x D x H) mm
04.512.03A	1200 x 540 x 880



- Left: 2 x shelves
- Right: 5 x drawers

Ref.no.	Dimensions (W x D x H) mm
04.512.05A	1200 x 540 x 880

Accessories for interior dimensions 450 x 400 mm



- Ribbed rubber inserts
- Front 75 mm and more

Ref.no.
65.046.531A



- Small parts boxes
- Front 100 mm

Ref.no.
146-132A



- Trough plates
- Front 100 mm

Ref.no.
146-130A



- Metal dividers
- Front 100 mm

Ref.no.
146-139B



- Metal dividers
- Front 150 mm

Ref.no.
146-135A



- Metal dividers
- Front 200 mm

Ref.no.
146-144A

Mobile workbench depth 600

Mobile logistic systems

Mobile workbench T600

- Beech multiplex worktop 25 mm
- Drawers with single pull-out 88 %, load capacity 35 kg
- Drawers on roller bearings

- Drawer interior dimension: 450 x 525 mm
- 2x fixed and 2x steering caster with locks, Ø 200 mm
- Push handle



Mobile Workbench

- Left: 1 x hinged door
- Right: 2x beech multiplex shelf 25 mm

Mobile Workbench

- Left: 4 x drawers
- Right: 1 x hinged door

Ref.no.	Dimensions (W x D x H) mm
04.12.80A	1200 x 600 x 820

Ref.no.	Dimensions (W x D x H) mm
04.12.82A	1200 x 600 x 820

Accessories for interior dimensions 450 x 525 mm



Metal dividers

- Front 100 mm


Ref.no.
128-3A



Metal dividers

- Front 100 mm

Ref.no.
128-1A



Small parts boxes

- Front 100 mm

Ref.no.
128-6A



Label pouch A4

Ref.no.
03ZGBHMB4A



Label pouch A4

Ref.no.
04.900.10A

Trolley

- 4 x wheels Ø 125 mm, 2 x with locking device
- Push handle
- Frame in steel tube 40 x 40 x 2 mm



- Chassis with 2 x wheels and 2 x castor wheels with locking device Ø 125 mm
- Frame in steel tube 40 x 40 x 2 mm



- Beech multiplex worktop 40 mm
- Shelf in beech multiplex 25 mm

Ref.no.	Dimensions (W x D x H) mm
04.12.01A	1250 x 750 x 859
04.15.01A	1500 x 750 x 859



- Beech multiplex worktop 15 mm
- Shelf in beech multiplex 15 mm

Ref.no.	Dimensions (W x D x H) mm
04.900.04A	900 x 620 x 860

Mobile logistic systems


Mobile workbench depth 736 R 18-24

- Drawers with full pull-out 100%
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- 4 x Wheels Ø 125 mm, 2 x with locking device
- Push handle



- Beech multiplex worktop 40 mm
- Left: 1 x hinged door
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
04.12.05VA	1250 x 750 x 859



Divider set T736 R 18-24

- Ribbed rubber inserts Front 50-200 mm
- Small parts boxes Front 100-150 mm
- Metal dividers Front 150 mm


Ref.no.
500/583A

BESTSELLER



- Beech multiplex worktop 25 mm
- Left: 4 x drawers
- Right: 1 x hinged door and shelf

Ref.no.	Dimensions (W x D x H) mm
04.12.19VA	1250 x 750 x 935




Perforated panel

- With 2 x fixing supports

Ref.no.	Dimensions (W x H) mm
03.87.102A	1000 x 450

SHORT
DELIVERY
TIME



Range of hooks, 18 parts

Ref.no.
03.87.39518A

Combination

Mobile workbench T736 R 18-24

- Consists of 04.12.19VA + 03.87.102A + 03.87.39518A + 500/583A

Ref.no.
04.12.19VAK

- Drawers with full pull-out 100%, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Beech multiplex worktop 1250 x 750 x 40 mm
- Chassis with 2 x wheels and 2 x castor wheels with locking device Ø 200 mm
- Push handle
- Dividing Sets s. page 13, 18 and 19



- Left: 4 x drawers
- Right: 5 x drawers

Ref.no.	Dimensions (W x D x H) mm
04.12.29VA	1250 x 750 x 995



- Left: 4 x drawers
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
04.12.28VA	1250 x 750 x 995

E-workdrive»

- Beech multiplex worktop 40 mm
- Drawers with full pull-out 100 %, load capacity 100 kg
- Usable drawer dimension:
 - width 1250 mm: 450 x 600 mm
 - width 1500 mm: 600 x 600 mm
- 4x steering caster, Ø 125 mm, thereof 2 with locks



e-workdrive» box workbench

- Left: 1 x hinged door 600 mm and shelf
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
EWD041203A	1250 x 750 x 950
EWD041503A	1500 x 750 x 950

Ergonomic operation

- Operation via a button on the ergonomically designed handle
 - The position of the button can be set individually on the handle
 - System and battery status can be read off the LED display
- Continuously variable speed adjustment, max. speed 4 km/h

Flexible use

- The starting aid can be switched on as required. In Standby mode, the module has no ground contact

Improved driving stability

- Fifth wheel for improved cornering stability and directional stability on long distances

Optimal ground contact

- Uneven floors are compensated by the optimal ground contact of the caster

High durability

- The rechargeable battery can be switched on/off via a key
- With a fully charged battery and a maximum load capacity of 400 kg, approx. 200 driving cycles are possible

Mobile logistic systems

PC-cabinet mobile



Load capacity PC-cabinet mobile



Load capacity PC-cabinet stationary

- All models are available fixed or mobile



- 1 x Monitor attachment housing 700 x 270 x 500 mm (W x D x H)
- Beech multiplex worktop 25 mm
- 1 x drawer, 1 x shelf, 2 x hinged door, 1 x 4-way socket bar
- Drawers with full pull-out 100%, load capacity 50 kg
- Square holes in rear wall for ventilation
- 2x fixed and 2x steering caster with locks, Ø 125 mm

Ref.no.	Dimensions (W x D x H) mm	Version
04.980.04A	1200 x 700 x 1796	mobile
04.980.04oRA	1200 x 700 x 1646	stationary

BESTSELLER



- 1 x Perforated panels with flat screen bracket
- 1 x shelf, 2 x hinged door, 1 x desk attachment, 1 x 4-way socket bar
- 1 x Keyboard drawer
- Square holes in rear wall for ventilation
- 4x steering caster, Ø 125 mm, thereof 2 with locks

Ref.no.	Dimensions (W x D x H) mm	Version
04.680.C125A	680 x 500 x 1610	mobile
04680C125oRA	680 x 500 x 1460	stationary



- Beech multiplex worktop 25 mm
- 1 x drawer, 1 x shelf, 1 x hinged door, 1 x 4-way socket bar
- Drawers with full pull-out 100%, load capacity 50 kg
- Square holes in rear wall for ventilation
- 4x steering caster, Ø 125 mm, thereof 2 with locks

Ref.no.	Dimensions (W x D x H) mm	Version
04.530.02A	530 x 500 x 1000	mobile
04.530.02oRA	530 x 500 x 850	stationary

Visible area:
550 x 355 mm (W x D)
used for 24" monitor



- 1 x Monitor attachment housing 700 x 270 x 500 mm (W x D x H)
- Beech multiplex worktop 25 mm
- 1 x shelf, 2 x hinged door, 1 x 4-way socket bar
- Cable passages
- Square holes in rear wall for ventilation
- 4x steering caster, Ø 125 mm, thereof 2 with locks

Ref.no.	Dimensions (W x D x H) mm	Version
04.680.02A	750 x 500 x 1600	mobile
04.680.02oRA	750 x 500 x 1450	stationary

Delivery without decoration

Cabinet with hinged doors Type 105 + 110

New Drawers
with Full pull-out
100%

Cabinet with hinged doors

BESTSELLER



Cabinet with hinged doors Type 110

- 1 x Metal border
- 2 x drawers with full pull-out (VA) 100 %, load capacity 50 kg
- 2 x shelves

Ref.no.	Dimensions (W x D x H) mm
04.110B	1000 x 500 x 1000

Cabinet with hinged door Type 105

- 2 x shelves
- 1 x Metal border
- 2 x drawers with full pull-out (VA) 100 %, load capacity 50 kg

Ref.no.	Dimensions (W x D x H) mm
04.105B	500 x 500 x 1000

Combination

Hinged door cabinet Typ 105

- consists of cabinet with hinged door Type 105, desk attachment and Roller support Ø 125 mm

Ref.no.	Dimensions (W x D x H) mm
04.105K125	500 x 500 x 1400

Roller support

- 4 x castor wheels Ø 125 mm, 2 x with brake

Ref.no.	Dimensions (W x D x H) mm
04.110.RU125	1000 x 500 x 150

BESTSELLER



Both cabinets with hinged doors on this page in RAL 7035/5012, housing light grey and doors in light blue or totally in light grey, other colours on demand.



Cabinet with hinged doors

Ref.no.	Dimensions (W x D x H) mm	Version
04.155.04A	930 x 500 x 1950	Cabinet with hinged doors, incl. 4 shelves
04.155.04FB	Load capacity 85 kg	Extra shelves
04.156.04A	930 x 600 x 1950	Cabinet with hinged doors, incl. 4 shelves
04.156.04FB	Load capacity 85 kg	Extra shelves

Cabinet with hinged doors

Ref.no.	Dimensions (W x D x H) mm	Version
04.155.12A	1200 x 500 x 1950	Cabinet with hinged doors, incl. 4 shelves
04.155.12FB	Load capacity 95 kg	Extra shelves
04.156.12A	1200 x 600 x 1950	Cabinet with hinged doors, incl. 4 shelves
04.156.12FB	Load capacity 95 kg	Extra shelves

Electronically controlled drawer cabinet

Tool-Server-Modular (TSM®) R 24-24

Tool dispensing system

- Drawers with full pull-out 100%
- Drawers with front height 50 mm - load capacity 60 kg
- Drawers with front height 100 mm and more - load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- All modules including **pallet truck plinth** in the housing colours
- Supplement for delivery, installation and training

 Software Video



More Informations see
TSM® Catalogue



TSM® - Basic module

- 8 x drawers
- Incl. storage and management software
- With touch-display

Ref.no.	Dimensions (W x D x H) mm
TS5G00700080A	700 x 725 x 1019




TSM® - Extension module

- 8 x drawers
- Incl. storage and management software for link with basic cabinet

Ref.no.	Dimensions (W x D x H) mm
TS5A00700080A	700 x 725 x 1019

Drawer divider


R 24-24



Trough plates

- Front 50 mm

Ref.no.
TS-7-04A



Small parts boxes

- Front 50 mm

Ref.no.
TS-7-13-050A



Metal dividers

- Front 100 mm

Ref.no.
TS-7-27-100A



Metal dividers

- Front 150 mm

Ref.no.
TS-7-26-150A



Metal dividers

- Front 200 mm

Ref.no.
TS-7-20-200A



Electronic divider

- Front 100 mm

Ref.no.
TS7K160-100A



Verband
Lagertechnik
Betriebs-
einrichtung

bedrunka+hirth

Workplace up to date – mehr Raum zum Arbeiten

Offers apply to commercial and craft activities.

Technical and price variations are possible given the price of raw material. The price is calculated without VAT, except mistakes or omission. You'll find the general terms of Bedrunka+Hirth Gerätebau GmbH on our website www.bedrunka-hirth.de/en

Available in the UK from

Systems Design

www.systemsdesignuk.com
info@systemsdesignuk.com

Tel: +44(0)1892 256007

Special